

Insert Client
Logo

PATIENT CARE DIRECTIVE



SECTION	SUB-SECTION
Patient Care Delivery	Spinal Motion Restriction
DOCUMENT TITLE	
Spinal Motion Restriction Device Removal Procedure	

DEFINITIONS

- PEAK: PEAK Emergency Response Training (a division of Peak Project Management, Inc.)
Client Abbr.: Insert Client Full Name
PCD: Patient Care Directive
Patrollers: Paid &/or Volunteer patrol staff

RECITALS

1. PEAK and Insert Abbr. are responsible for the content, revision and review of this document.

PURPOSE

1. This PCD is applicable to all patrollers operating at Insert Abbr..
2. This PCD is to provide guidance for the removal of spinal motion restriction devices (i.e. long back board, scoop stretcher or vacuum mattress) from a spinal motion restricted patient once a patient has arrived at an appropriate patient care location (ski patrol hut/clinic, infirmary or similar facility).

PROCEDURE

1. Patients who have been spinal motion restricted in the non-urban environment and transported to an appropriate patient care location are to have the spinal motion restriction device removed in accordance with PEAK's Spinal Motion Restriction Device Removal Procedure – Pre-Removal Checklist.
2. In rare circumstances removal of a spinal motion restriction device may not be undertaken. In these circumstances, the lead Patroller will document the rationale for not removing the spinal motion restriction device on a PEAK Incident Report.

APPROVAL:

Name
Resort
Title

Jeffrey Burko
PEAK Emergency Response Training
Executive Medical Director

EFFECTIVE DATE: _____ EFFECTIVE UNTIL DATE: _____